

Specifications

**FRYTE80CP/FRYTE80WH
TESLIN**

2-Handle Widespread Lavatory Faucet



FREDERICK
YORK

Beauty that flows

Product Features

- Solid brass body
- Max. flow rate 1.5 gpm @ 60 PSI
- Ceramic disc cartridge
- 3-hole 8" c/c installation
- Includes brass pop-up drain
- Meets ASME A112.18.1 / CSA B125.1
- NSF/ANSI 61 compliant
- cUPC/IAPMO listed
- EPA WaterSense approved
- Limited lifetime warranty in residential applications
- Limited 5-year warranty in industrial/ commercial applications



FRYTE80CP
Polished Chrome



FRYTE80WH
Chrome/White



Spécifications

**FRYTE80CP/FRYTE80WH
TESLIN**

Robinet de Lavabo Répandu 2 Poignées



FREDERICK
YORK

Beauty that flows

Caractéristiques du produit

- Corps en laiton robuste
- Débit max de 1,5 gpm @ 60 PSI
- Cartouche en céramique
- Installation à 3 trous 8" centre
- Inclut un drain escamotable en laiton
- Conforme aux normes ASME A112.18.1 / CSA B125.1
- Conforme à la norme NSF/ANSI 61
- Homologué cUPC/IAPMO
- Homologué EPA WaterSense
- Garantie à vie limitée pour applications résidentielles
- Garantie limitée de 5 ans pour les applications industrielles / commerciales



FRYTE80CP
Chrome poli



FRYTE80WH
Chrome/Blanc



Specifications/Spécifications

FRYTE80CP/FRYTE80WH



FREDERICK
YORK

Beauty that flows

